IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
(Case No. 97,008-X)

Copeland et al.

Serial No.: 10/054,535

Filed: January 22, 2002

For: Automated Biological

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
(Case No. 97,008-X)

First Case No. 97,008-X

Base No. 97,008-X

First Case No. 97,008-X

Base No. 97,008-X

First Case No. 97,008-X

Base No.

Commissioner for Patents Washington, D.C. 20231

Sir:

TRANSMITTAL LETTER

In regard to the above identified application:

- 1. We are transmitting herewith the attached:
 - A. Letter RE Information Disclosure Statement
 - B. Second Supplemental Information Disclosure Statement
 - C. Form-SB08

Reaction Apparatus

- D. Cited References
- E. Return Receipt Postcard
- 2. With respect to additional fees:
 - A. No additional fee is required.
 - \underline{X} B. Attached is a check in the amount of \$180.00
- 3. Please charge any additional fees or credit overpayment to Deposit Account No. 13-2490. A duplicate copy of this sheet is enclosed.
- 4. CERTIFICATE OF MAILING UNDER 37 CFR § 1.8: The undersigned hereby certifies that this Transmittal Letter and the paper, as described in paragraph 1 hereinabove, are being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231 on this 18th day of March, 2003

A Blair Hughes

Reg. No. 32,901



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE (Case No. 97,008-X)

In re Application of:)		0
	Copeland et al.)		NED S 2001
Serial No.:	10/054,535)	Group Art Unit: 1743	当 ~ C
Filed:	January 22, 2002)	Examiner: Bex, Patricia K.	MAR T
For:	Automated Biological)		
	Reaction Apparatus)		

LETTER RE INFORMATION DISCLOSURE STATEMENT

Assistant Commissioner of Patents Washington, D.C. 20231

Dear Sir:

The accompanying Second Supplemental Information Disclosure Statement is being submitted after the mailing of the First Official Action in the above-referenced case. Therefore, a check for \$180.00 required by the filing of this paper is attached.

Respectfully submitted,

Figure 7000 NROCHA1 00000015 10054535

1 -50:1366

180.00 OP

A. Blair Hughes Reg. No. 32,901

Date: March 18, 2003



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE (Case No. 97,008-X)

In re Applic	ation of:)	
	Copeland et al.)	
)	Group Art Unit: 1743
Serial No.:	10/054,535)	
)	Examiner: Bex, Patricia K.
Filed:	January 22, 2002)	
)	
For:	Automated Biological)	
	Reaction Apparatus)	

SECOND SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents Washington, D.C. 20231

Dear Sir:

Pursuant to 37 C.F.R. Section 1.97-1.98, applicants wish to make the following references of record in the above-identified application. These references may be material to the Examiner's consideration of the presently pending claims. Copies of the references cited below are enclosed along with a completed Form-SB08.

U.S. Patents

	Patent No.	<u>Inventors</u>	Issue Date
1.	3,482,082	Isreeli	12-2-1969
2.	3,644,715	Holderith	2-22-1972
3.	3,660,638	Oberli	5-2-1972
4.	3,831,006	Chaffin, III et al.	8-20-1974
5.	3,909,203	Young et al.	9-30-1975
6.	3,916,157	Roulette et al.	10-28-1975

7.	4,066,412	Johnson et al.	1-3-1978
8.	4,133,642	Nosaka et al.	1-9-1979
9.	4,135,883	McNeil et al.	1-23-1979
10.	4,159,875	Hauser	7-3-1979
11.	4,163,643	Hunter et al.	8-7-1979
12.	4,281,387	Kraft et al.	7-28-1981
13.	4,338,279	Orimo et al.	7-6-1982
14.	4,371,498	Scordato et al.	2-1-1983
15.	4,517,160	Galle et al.	5-14-1985
16.	4,558,946	Galle et al.	12-17-1985
17.	4,634,576	Galle et al.	1-6-1987
18.	4,643,879	Hanaway	2-17-1987
19.	4,647,432	Wakatake	3-3-1987
20.	4,675,299	Witty et al.	6-23-1987
21.	4,678,894	Shafer	7-7-1987
22.	4,683,120	Meserol et al.	7-28-1987
23.	4,692,308	Riley et al.	9-8-1987
24.	4,719,087	Hanaway	1-12-1988
25.	4,727,033	Hijikata et al.	2-23-1988
26.	4,795,613	Azuma et al.	1-3-1989
27.	4,808,380	Minekane	2-28-1989
28.	4,824,641	Williams	4-25-1989
29.	4,844,887	Galle et al.	7-4-1989
30.	4,847,208	Bogen	7-11-1989
31.	4,855,110	Marker et al.	8-8-1989
32.	5,031,797	Boris et al.	7-16-1991
33.	5,073,504	Bogen	12-17-1991
34.	5,311,426	Donohue et al.	5-10-1994
35.	5,316,452	Bogen et al.	5-31-1994
36.	5,418,138	Miller et al.	5-23-1995

McDonnell Boehnen Hulbert & Berghoff 300 South Wacker Drive Chicago, Illinois 60606 (312) 913-0001





Foreign Patents

. .4

	Application/ Patent No.	Applicant	<u>Publication Date</u>
37.	JP 54014287	Agency of Ind Science & Technol	8-19-1980
38.	JP 55090892	Olympus Optical Co. Ltd.	1-27-1982
39.	JP 59189590	Hitachi Ltd.	4-8-1986
40.	WO 86/02163	American Hospital Supply Corporation	on 4-10-1986
41.	JP 59216246	Hitachi Ltd.	5-14-1986
42.	JP 60090544	Nippon Tectron Co. Ltd.	11-5-1986
43.	JP 60090545	Nippon Tectron Co. Ltd.	11-5-1986
44.	JP 60116425	Hitachi Ltd.	12-5-1986
45.	JP 61035042	Toshiba Corp.	8-26-1987
46.	JP 61076122	Nippon Tectron Co. Ltd.	10-13-1987
47.	JP 61146064	Toshiba Corp.	1-8-1988
48.	JP 61190061	Hitachi Ltd.	2-26-1988
49.	JP 61205089	Toshiba Corp.	3-17-1988
50.	WO 88/02866	Serono Diagnostics Partners	4-21-1988
51.	JP 61242989	Hitachi Ltd.	4-30-1988
52.	JP 61275282	Nittee Co. Ltd.	6-3-1988
53.	EP 0285851 A2	Fuji Photo Film Co., Ltd.	10-12-1988
54.	EP 0290018 A2	Abbott Laboratories	11-9-1988
55.	JP 62202748	Toshiba Corp.	2-17-1989
56.	WO 89/01616	Arthur Harris	2-23-1989
57.	JP 63082232	Toshiba Corp.	10-11-1989
58.	JP 63144871	Toshiba Corp.	12-19-1989

Other Documents

59. DRISCOLL et al., "Discrete Automated Chemistry System with Tableted Reagents," Clinical Chemistry, 29(9):1609-1615, 1983.

- 60. RAPPOPORT, "If Bar Code Works in Supermarkets, It Should Be Great for Medicine," Pathologist, 39(2):39-40, 1985.
- 61. BECKMAN INSTRUMENTS, "Premarket Notifications (Section 510(k) Notices) for Synchron CX 4 and Synchron CX 5 Clinical Chemistry Analyzers," April 5, 1988.
- 62. TILZER et al., "Use of Bar Code Labels on Collection Tubes for Specimen Management in the Clinical Laboratory," Arch Pathol Lab Med, 112:1201-1202, Dec. 1988.
- 63. CHOW et al., "Application of Existing Technology to Meet Increasing Demands for Automated Sample Handling," Clinical Chemistry, 36(9):1579-1582, 1990.
- 64. GARZA et al., "Bar Codes in the Clinical Laboratory," Clinical Laboratory Science, 4(1):23-24, Jan/Feb 1991.

Respectfully submitted,

McDonnell Boehnen Hulbert & Berghoff

Dated: March 18, 2003

By:

A. Blair Hughes Reg. No. 32,901